

Massivdielen

Eiche	15 mm	137 / 168 / 198	fix 1453-2653 / fallend 853-2306	select / natur / markant / natur-rustikal
		120 / 130 / 140 / 150	fallend 400 -1800	select / natur / markant / rustikal
		130 / 140 / 150	fallend 1900 -2000	select / natur / markant / rustikal
	16 mm	95	fallend 1100 -2100	select-natur / natur-markant
		a.A. 115-190	fallend -2600 / fix a.A.	select / natur / markant
	20 mm	120 / 140 / 160 / 180 / 200	fallend 500 -2000	select / natur / markant / rustikal
		140 / 160 / 180	fallend 1900 -2500	select / natur / markant / rustikal
	21 mm	137 / 168 / 198	fix 1453-2653 / fallend 853-2306	select / natur / markant / natur-rustikal
		140 / 190 / a.A.	fallend -2600 / 2600-3800	select / natur / markant
		a.A.	fallend & fix a.A.	select / natur / markant
180 / 200		fallend 1600 -3900 / 4000-5000	markant-rustikal	
26 mm	a.A.	fallend & fix a.A.	select / natur / markant	
27 mm	188	fix 2053-2653 & fallend 853-1753 (30%)	natur-rustikal	
Eiche angeräuchert	15 mm	130	fallend 400 -1800	natur / markant
	20 mm	120 / 140 / 160 / 180 / 200	fallend 500 -2000	natur / markant
	21 mm	140 / 190 / a.A.	fallend -2600 / 2600-3800	select / natur / markant
Esche	15 mm	a.A.	fallend & fix a.A.	select / natur / markant
		180 / 200	fallend 1600 -3900 / 4000-5000	markant-rustikal
	15 mm	140	fallend 400 -1800	select
	20 mm	140 / 160 / 180	fallend 500 -2000	select / rustikal
	21 mm	137	fix 1453-2653 gemischt	select-natur / rustikal
Buche gedämpft	21 mm	140 / 180	fallend -2600	natur-markant
	15 mm	140	fallend 400-1800	select / rustikal
	20 mm	140	fallend 500-2000	select / rustikal
Eiche kerngeräuchert	21 mm	115 / 140	fallend -2600	natur-markant
	15 mm	130	fallend 400 -1800	natur / markant
	20 mm	120 / 140 / 160	fallend 500 -2000	natur / markant
Fichte nord.	15 mm	135	1973 / 1453	AB / (Industrie)
	19 mm	135	1973 / 1453	AB / (Industrie)
	25 mm	135	1973 / 1453	AB / (Industrie)
	21 mm	133	2050 / 2350 & 3850- 5050 (Raumlang)	A (Auslese)
	21 mm	112	5100	B (NSi)
	27 mm	180	3850- 5050 (Raumlang)	A (Auslese)
	24 mm	98	1400 - 3000	A/AB (rift/halbrift)
Heim. Douglasie	28 mm	150-250	1000 - 4000 & Raumlang	lebhaft / schlicht
	28 mm	200 / 250 /280 / 300	1000 - 4000 & Raumlang	lebhaft / schlicht
	28 mm	200 / 250 /280 / 300	1000 - 4000 & Raumlang	lebhaft / schlicht
	35 mm	300 / 350 / 400	1000 - Raumlang	lebhaft / schlicht

Sib. Lärche	15 mm	135	1973 / 1453	AB / (Industrie)
	19 mm	135 / 178	1973 / 1453	AB / A (Anfrage) / B / (Industrie)
	20 mm	134	1750 - 2950 & 3000-6000 (Raumlang)	AB / A (Anfrage)
	25 mm	135 / 178	1973 / 1453	AB / (Industrie)
	26 mm	134 / 180	1750 - 2950 & 3000-6000 (Raumlang)	AB
Heim. Fichte	28 mm	150-250	1000 - 4000 & Raumlang	lebhaft / schlicht
	40 mm	280	5000	II/III
	50 mm	150-250	1000 - 6500	lebhaft / schlicht
Weisstanne	24 mm	150-250	1000 - 6500	lebhaft / schlicht
	28 mm	250 / 300	1000 - 6000 (ev. 8000)	lebhaft / schlicht
Heim. Lärche	19 mm	135	1973 / 1453	AB
	24 mm	150-250	1000 - 5000	AB
Ahorn europ.	15 mm	140	fallend 400-1800	select / rustikal
	20 mm	140	fallend 500-2000	select / rustikal
Ahorn can.	15 mm	140	fallend 400-1800	select / rustikal
	20 mm	140	fallend 500-2000	select / rustikal
	21 mm	140 / 180	fallend -2600	select / struktur
Hainbuche	21 mm	100 / 115 / 140	fallend -2600	natur-markant
Robinie	16 - 24 mm	100-140 a.A.	fallend	natur-markant
Ulme / Rüster	16 - 24 mm	100-140 a.A.	fallend	natur-markant
Birne	16 - 24 mm	100-140 a.A.	fallend	natur-markant
Europ. Nussbaum	16 - 24 mm	100-140 a.A.	fallend	natur-markant
Roteiche	21 mm	115 / 140 / 180	fallend -2600	select-natur
Föhre/Kiefer	15 mm	135	1973 / 1453	AB / (Industrie)
	19 mm	135	1973 / 1453	AB / (Industrie)
	21 mm	133	2050 / 2350 & 3850- 5050 (Raumlang)	A (Auslese)
	27 mm	180	3850- 5050 (Raumlang)	A (Auslese) / AB
	Pitch Pine	20 mm	130	500-2000 & 2750-6000 (Raumlang)
Birke	21 mm	140	fallend -2600	natur-markant
Arve	19 mm	135	1973 / 1453	AB / (Industrie)
Ami. Nussbaum	21 mm	140 / 180	fallend -2600	select / struktur
Black Cherry	22 mm	70	300-500	naturell
Exoten FSC	14 - 20 mm	90/100/120	+/- 400-1800	
Ipé/Lapaco, Jatoba, Cumaru, Curupay, Amendoim (Yvyrraro), Sucupira Preta, Morado, Tigerwood (Muiracatiara)				select-naturell FSC
Doussie (Afzelia), Mutenye, Sapelli, Iroko (Kambala), Cabereuva, Wenge, Teak				select-naturell FSC

Massivstäbe (auch Fischgrat)

Eiche	10 mm	70	350 / 420 / 500	select-natur / rustikal
	15/20 mm	70 / 120	500 / 600 / 700 / 800 / 900	select/ natur / markant / rustikal
	16 mm	50	250	select-natur
	16 mm	70	500	charakter
	16/22 mm	60 / 70 / 80 / 90	350 - 600	select-natur / rustikal
	16/22 mm	70	300 / 400 / 500	select / natur / rustikal
	16/22 mm	70	350 / 420 / 500	select-natur / rustikal
	16/22 mm	100	500 / 350 - 600	select-natur / rustikal
	16/22 mm	120	600 / 350 - 600	select-natur / rustikal
	Buche ged.	16/22 mm	60 / 70 / 80	350 - 900 a.A.
Esche/Nuss/Ahorn	16/22 mm	70	500	select-natur / rustikal
Roteiche	16/22 mm	70	500	select-natur
Hölzer CH	16 - 24 mm	70-100 a.A.	ca. 400-900	a.A.
Exoten FSC	15 / 22 mm	70	300 - 500 a.A.	

Friese

Eiche	15 mm	100 / 120 /140	fallend 600-2500 / 600-3800	select-natur	
	15 mm	120	fallend 600-2500	select-natur	
	15 mm	120	fallend 600-2500	markant-rustikal	
	16 mm	120	fallend 600-2500	select-natur	
	20 mm	120	fallend 600-2500	select-natur	
	22 mm	120	fallend 600-2500	select-natur	
	22 mm	100 / 120 /140	fallend 600-2500 / 600-3800	select-natur	
	Buche ged.	15-22 mm	80-140	fallend 600-2500 / 600-3800	select-natur / rustikal
	Hölzer CH	16 - 24 mm	80-140 a.A.	a.A.	a.A.

Platten

Eiche	19 / 26 mm	1210	900 - 3000	AB / Wildeiche
	40 mm	650 / 1210	900 - 3000	AB / Wildeiche
	45 mm	650 / 720	900 - 2700	AB / Wildeiche
	19-60 mm	20-2000	300 - 3000 (4000)	AB / AA / AC / Wildeiche
Eiche keilgez.	19 / 26 mm	1210	2500 / 4200	AB / Wildeiche
	40 / 45 mm	670	5000	AB / Wildeiche
Buche gd. durchg. Lam.	19 / 26 mm	1210	900 - 3000	AB / Braunkern
	40 mm	650 / 1210	900 - 3000	AB / Braunkern
	45 mm	650	900 - 2700	AB
	19-60 mm	20-2000	300 - 3000 (4000)	AB / AA / AC / Braunkern
Buche keilgez.	19 / 20 / 26 mm	1250	4200	Braunkern
	40 / 45 / 50 mm	670 (700)	5000	Braunkern
Ahorn/Esche/Akazie/Erle	19 / 26 mm	1210	900 - 3000	AB / Braunkern
	40 mm	1210 / 650	(900)1200-2400(3000)	AB
	19-60 mm	20-2000	300 - 3000 (4000)	AB / AA / AC
...keilgez.	19 / 20 / 26 mm	1250	4200 (3000)	AB
	40 mm	670 (1210)	5000	AB
Nussbaum	19 / 26 mm	1210	1000 - 2500	AB
	40 mm	1210	1000 - 2500	AB
	19-60 mm	20-2000	300 - 3000 (4000)	AB / AA / AC
Nussbaum keilgez.	19 / 26 mm	900	4200	AB
	40 / 45 mm	670	5000	AB
Kirschbaum keilgez.	19 / 26 mm	1210	4200	AB
	40 / 45 mm	670	5000	AB
Birke durchg. Lam.	26 mm	1250	1600 / 1800	AB
Birke keilgez.	19 / 26 mm	1250	4200	AB
div. Hölzer	19-60 mm	20-2000	300 - 3000 (4000)	AB / AA / AC